

## Projective Spaces - part VI

Wojciech Leończuk<sup>1</sup>  
Warsaw University  
Białystok

Krzysztof Prażmowski<sup>2</sup>  
Warsaw University  
Białystok

**Summary.** The article is a continuation of [4]. In the classes of projective spaces, defined in terms of collinearity, introduced in the article [3], we distinguish the subclasses of Pappian projective structures. As examples of these types of objects we consider analytical projective spaces defined over suitable real linear spaces.

MML Identifier: ANPROJ\_7.

The terminology and notation used in this paper have been introduced in the following articles: [1], [5], [2], [3], and [4]. We adopt the following rules:  $a, b, c, d$  will be real numbers,  $V$  will be a non-trivial real linear space, and  $u, v, w, y, u_1$  will be vectors of  $V$ . An at least 3 dimensional projective space defined in terms of collinearity is said to be a Pappian at least 3 dimensional projective space defined in terms of collinearity if:

(Def.1) Let  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  be elements of the points of it .

Suppose that

- (i)  $o \neq p_2$ ,
- (ii)  $o \neq p_3$ ,
- (iii)  $p_2 \neq p_3$ ,
- (iv)  $p_1 \neq p_2$ ,
- (v)  $p_1 \neq p_3$ ,
- (vi)  $o \neq q_2$ ,
- (vii)  $o \neq q_3$ ,
- (viii)  $q_2 \neq q_3$ ,
- (ix)  $q_1 \neq q_2$ ,
- (x)  $q_1 \neq q_3$ ,
- (xi)  $o, p_1$  and  $q_1$  are not collinear,
- (xii)  $o, p_1$  and  $p_2$  are collinear,

---

<sup>1</sup>Supported by RPBP.III-24.C6.

<sup>2</sup>Supported by RPBP.III-24.C2.

- (xiii)  $o, p_1$  and  $p_3$  are collinear,
- (xiv)  $o, q_1$  and  $q_2$  are collinear,
- (xv)  $o, q_1$  and  $q_3$  are collinear,
- (xvi)  $p_1, q_2$  and  $r_3$  are collinear,
- (xvii)  $q_1, p_2$  and  $r_3$  are collinear,
- (xviii)  $p_1, q_3$  and  $r_2$  are collinear,
- (xix)  $p_3, q_1$  and  $r_2$  are collinear,
- (xx)  $p_2, q_3$  and  $r_1$  are collinear,
- (xxi)  $p_3, q_2$  and  $r_1$  are collinear.

Then  $r_1, r_2$  and  $r_3$  are collinear.

We now state four propositions:

- (1) Let  $C_1$  be an at least 3 dimensional projective space defined in terms of collinearity. Then  $C_1$  is a Pappian at least 3 dimensional projective space defined in terms of collinearity if and only if for all elements  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  of the points of  $C_1$  such that  $o \neq p_2$  and  $o \neq p_3$  and  $p_2 \neq p_3$  and  $p_1 \neq p_2$  and  $p_1 \neq p_3$  and  $o \neq q_2$  and  $o \neq q_3$  and  $q_2 \neq q_3$  and  $q_1 \neq q_2$  and  $q_1 \neq q_3$  and  $o, p_1$  and  $q_1$  are not collinear and  $o, p_1$  and  $p_2$  are collinear and  $o, p_1$  and  $p_3$  are collinear and  $o, q_1$  and  $q_2$  are collinear and  $o, q_1$  and  $q_3$  are collinear and  $p_1, q_2$  and  $r_3$  are collinear and  $q_1, p_2$  and  $r_3$  are collinear and  $p_1, q_3$  and  $r_2$  are collinear and  $p_3, q_1$  and  $r_2$  are collinear and  $p_2, q_3$  and  $r_1$  are collinear and  $p_3, q_2$  and  $r_1$  are collinear holds  $r_1, r_2$  and  $r_3$  are collinear.
- (2) If there exist  $u, v, w, u_1$  such that for all  $a, b, c, d$  such that  $((a \cdot u + b \cdot v) + c \cdot w) + d \cdot u_1 = 0_V$  holds  $a = 0$  and  $b = 0$  and  $c = 0$  and  $d = 0$ , then the projective space over  $V$  is a Pappian at least 3 dimensional projective space defined in terms of collinearity.
- (3) Let  $C_1$  be a collinearity structure. Then  $C_1$  is a Pappian at least 3 dimensional projective space defined in terms of collinearity if and only if the following conditions are satisfied:
  - (i) for all elements  $p, q, r$  of the points of  $C_1$  holds  $p, q$  and  $p$  are collinear and  $p, p$  and  $q$  are collinear and  $p, q$  and  $q$  are collinear,
  - (ii) for all elements  $p, q, r, r_1, r_2$  of the points of  $C_1$  such that  $p \neq q$  and  $p, q$  and  $r$  are collinear and  $p, q$  and  $r_1$  are collinear and  $p, q$  and  $r_2$  are collinear holds  $r, r_1$  and  $r_2$  are collinear,
  - (iii) for every elements  $p, q$  of the points of  $C_1$  there exists an element  $r$  of the points of  $C_1$  such that  $p \neq r$  and  $q \neq r$  and  $p, q$  and  $r$  are collinear,
  - (iv) for all elements  $p, p_1, p_2, r, r_1$  of the points of  $C_1$  such that  $p, p_1$  and  $r$  are collinear and  $p_1, p_2$  and  $r_1$  are collinear there exists an element  $r_2$  of the points of  $C_1$  such that  $p, p_2$  and  $r_2$  are collinear and  $r, r_1$  and  $r_2$  are collinear,
  - (v) there exist elements  $p, p_1, q, q_1$  of the points of  $C_1$  such that for no element  $r$  of the points of  $C_1$  holds  $p, p_1$  and  $r$  are collinear and  $q, q_1$  and  $r$  are collinear,

- (vi) for all elements  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  of the points of  $C_1$  such that  $o \neq p_2$  and  $o \neq p_3$  and  $p_2 \neq p_3$  and  $p_1 \neq p_2$  and  $p_1 \neq p_3$  and  $o \neq q_2$  and  $o \neq q_3$  and  $q_2 \neq q_3$  and  $q_1 \neq q_2$  and  $q_1 \neq q_3$  and  $o, p_1$  and  $q_1$  are not collinear and  $o, p_1$  and  $p_2$  are collinear and  $o, p_1$  and  $p_3$  are collinear and  $o, q_1$  and  $q_2$  are collinear and  $o, q_1$  and  $q_3$  are collinear and  $p_1, q_2$  and  $r_3$  are collinear and  $q_1, p_2$  and  $r_3$  are collinear and  $p_1, q_3$  and  $r_2$  are collinear and  $p_3, q_1$  and  $r_2$  are collinear and  $p_2, q_3$  and  $r_1$  are collinear and  $p_3, q_2$  and  $r_1$  are collinear holds  $r_1, r_2$  and  $r_3$  are collinear.
- (4) For every  $C_1$  being a collinearity structure holds  $C_1$  is a Pappian at least 3 dimensional projective space defined in terms of collinearity if and only if  $C_1$  is a Pappian projective space defined in terms of collinearity and there exist elements  $p, p_1, q, q_1$  of the points of  $C_1$  such that for no element  $r$  of the points of  $C_1$  holds  $p, p_1$  and  $r$  are collinear and  $q, q_1$  and  $r$  are collinear.

A Fanoian at least 3 dimensional projective space defined in terms of collinearity is called a Fano-Pappian at least 3 dimensional projective space defined in terms of collinearity if:

(Def.2) Let  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  be elements of the points of it .

Suppose that

- (i)  $o \neq p_2,$
- (ii)  $o \neq p_3,$
- (iii)  $p_2 \neq p_3,$
- (iv)  $p_1 \neq p_2,$
- (v)  $p_1 \neq p_3,$
- (vi)  $o \neq q_2,$
- (vii)  $o \neq q_3,$
- (viii)  $q_2 \neq q_3,$
- (ix)  $q_1 \neq q_2,$
- (x)  $q_1 \neq q_3,$
- (xi)  $o, p_1$  and  $q_1$  are not collinear,
- (xii)  $o, p_1$  and  $p_2$  are collinear,
- (xiii)  $o, p_1$  and  $p_3$  are collinear,
- (xiv)  $o, q_1$  and  $q_2$  are collinear,
- (xv)  $o, q_1$  and  $q_3$  are collinear,
- (xvi)  $p_1, q_2$  and  $r_3$  are collinear,
- (xvii)  $q_1, p_2$  and  $r_3$  are collinear,
- (xviii)  $p_1, q_3$  and  $r_2$  are collinear,
- (xix)  $p_3, q_1$  and  $r_2$  are collinear,
- (xx)  $p_2, q_3$  and  $r_1$  are collinear,
- (xxi)  $p_3, q_2$  and  $r_1$  are collinear.

Then  $r_1, r_2$  and  $r_3$  are collinear.

One can prove the following propositions:

- (5) Let  $C_1$  be a Fanoian at least 3 dimensional projective space defined in terms of collinearity. Then  $C_1$  is a Fano-Pappian at least 3 dimensional

projective space defined in terms of collinearity if and only if for all elements  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  of the points of  $C_1$  such that  $o \neq p_2$  and  $o \neq p_3$  and  $p_2 \neq p_3$  and  $p_1 \neq p_2$  and  $p_1 \neq p_3$  and  $o \neq q_2$  and  $o \neq q_3$  and  $q_2 \neq q_3$  and  $q_1 \neq q_2$  and  $q_1 \neq q_3$  and  $o, p_1$  and  $q_1$  are not collinear and  $o, p_1$  and  $p_2$  are collinear and  $o, p_1$  and  $p_3$  are collinear and  $o, q_1$  and  $q_2$  are collinear and  $o, q_1$  and  $q_3$  are collinear and  $p_1, q_2$  and  $r_3$  are collinear and  $q_1, p_2$  and  $r_3$  are collinear and  $p_1, q_3$  and  $r_2$  are collinear and  $p_3, q_1$  and  $r_2$  are collinear and  $p_2, q_3$  and  $r_1$  are collinear and  $p_3, q_2$  and  $r_1$  are collinear holds  $r_1, r_2$  and  $r_3$  are collinear.

- (6) If there exist  $u, v, w, u_1$  such that for all  $a, b, c, d$  such that  $((a \cdot u + b \cdot v) + c \cdot w) + d \cdot u_1 = 0_V$  holds  $a = 0$  and  $b = 0$  and  $c = 0$  and  $d = 0$ , then the projective space over  $V$  is a Fano-Pappian at least 3 dimensional projective space defined in terms of collinearity.
- (7) Let  $C_1$  be a collinearity structure. Then  $C_1$  is a Fano-Pappian at least 3 dimensional projective space defined in terms of collinearity if and only if the following conditions are satisfied:
- (i) for all elements  $p, q, r$  of the points of  $C_1$  holds  $p, q$  and  $p$  are collinear and  $p, p$  and  $q$  are collinear and  $p, q$  and  $q$  are collinear,
  - (ii) for all elements  $p, q, r, r_1, r_2$  of the points of  $C_1$  such that  $p \neq q$  and  $p, q$  and  $r$  are collinear and  $p, q$  and  $r_1$  are collinear and  $p, q$  and  $r_2$  are collinear holds  $r, r_1$  and  $r_2$  are collinear,
  - (iii) for every elements  $p, q$  of the points of  $C_1$  there exists an element  $r$  of the points of  $C_1$  such that  $p \neq r$  and  $q \neq r$  and  $p, q$  and  $r$  are collinear,
  - (iv) for all elements  $p, p_1, p_2, r, r_1$  of the points of  $C_1$  such that  $p, p_1$  and  $r$  are collinear and  $p_1, p_2$  and  $r_1$  are collinear there exists an element  $r_2$  of the points of  $C_1$  such that  $p, p_2$  and  $r_2$  are collinear and  $r, r_1$  and  $r_2$  are collinear,
  - (v) for all elements  $p_1, r_2, q, r_1, q_1, p, r$  of the points of  $C_1$  such that  $p_1, r_2$  and  $q$  are collinear and  $r_1, q_1$  and  $q$  are collinear and  $p_1, r_1$  and  $p$  are collinear and  $r_2, q_1$  and  $p$  are collinear and  $p_1, q_1$  and  $r$  are collinear and  $r_2, r_1$  and  $r$  are collinear and  $p, q$  and  $r$  are collinear holds  $p_1, r_2$  and  $q_1$  are collinear or  $p_1, r_2$  and  $r_1$  are collinear or  $p_1, r_1$  and  $q_1$  are collinear or  $r_2, r_1$  and  $q_1$  are collinear,
  - (vi) there exist elements  $p, p_1, q, q_1$  of the points of  $C_1$  such that for no element  $r$  of the points of  $C_1$  holds  $p, p_1$  and  $r$  are collinear and  $q, q_1$  and  $r$  are collinear,
  - (vii) for all elements  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  of the points of  $C_1$  such that  $o \neq p_2$  and  $o \neq p_3$  and  $p_2 \neq p_3$  and  $p_1 \neq p_2$  and  $p_1 \neq p_3$  and  $o \neq q_2$  and  $o \neq q_3$  and  $q_2 \neq q_3$  and  $q_1 \neq q_2$  and  $q_1 \neq q_3$  and  $o, p_1$  and  $q_1$  are not collinear and  $o, p_1$  and  $p_2$  are collinear and  $o, p_1$  and  $p_3$  are collinear and  $o, q_1$  and  $q_2$  are collinear and  $o, q_1$  and  $q_3$  are collinear and  $p_1, q_2$  and  $r_3$  are collinear and  $q_1, p_2$  and  $r_3$  are collinear and  $p_1, q_3$  and  $r_2$  are collinear and  $p_3, q_1$  and  $r_2$  are collinear and  $p_2, q_3$  and  $r_1$  are collinear and  $p_3, q_2$  and  $r_1$  are collinear holds  $r_1, r_2$  and  $r_3$  are collinear.

- (8) Let  $C_1$  be a collinearity structure. Then  $C_1$  is a Fano-Pappian at least 3 dimensional projective space defined in terms of collinearity if and only if the following conditions are satisfied:
- (i)  $C_1$  is a Pappian at least 3 dimensional projective space defined in terms of collinearity,
  - (ii) for all elements  $p_1, r_2, q, r_1, q_1, p, r$  of the points of  $C_1$  such that  $p_1, r_2$  and  $q$  are collinear and  $r_1, q_1$  and  $q$  are collinear and  $p_1, r_1$  and  $p$  are collinear and  $r_2, q_1$  and  $p$  are collinear and  $p_1, q_1$  and  $r$  are collinear and  $r_2, r_1$  and  $r$  are collinear and  $p, q$  and  $r$  are collinear holds  $p_1, r_2$  and  $q_1$  are collinear or  $p_1, r_2$  and  $r_1$  are collinear or  $p_1, r_1$  and  $q_1$  are collinear or  $r_2, r_1$  and  $q_1$  are collinear.
- (9) For every  $C_1$  being a collinearity structure holds  $C_1$  is a Fano-Pappian at least 3 dimensional projective space defined in terms of collinearity if and only if  $C_1$  is a Fano-Pappian projective space defined in terms of collinearity and there exist elements  $p, p_1, q, q_1$  of the points of  $C_1$  such that for no element  $r$  of the points of  $C_1$  holds  $p, p_1$  and  $r$  are collinear and  $q, q_1$  and  $r$  are collinear.

A 3 dimensional projective space defined in terms of collinearity is called a Pappian 3 dimensional projective space defined in terms of collinearity if:

(Def.3) Let  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  be elements of the points of it .  
Suppose that

- (i)  $o \neq p_2,$
- (ii)  $o \neq p_3,$
- (iii)  $p_2 \neq p_3,$
- (iv)  $p_1 \neq p_2,$
- (v)  $p_1 \neq p_3,$
- (vi)  $o \neq q_2,$
- (vii)  $o \neq q_3,$
- (viii)  $q_2 \neq q_3,$
- (ix)  $q_1 \neq q_2,$
- (x)  $q_1 \neq q_3,$
- (xi)  $o, p_1$  and  $q_1$  are not collinear,
- (xii)  $o, p_1$  and  $p_2$  are collinear,
- (xiii)  $o, p_1$  and  $p_3$  are collinear,
- (xiv)  $o, q_1$  and  $q_2$  are collinear,
- (xv)  $o, q_1$  and  $q_3$  are collinear,
- (xvi)  $p_1, q_2$  and  $r_3$  are collinear,
- (xvii)  $q_1, p_2$  and  $r_3$  are collinear,
- (xviii)  $p_1, q_3$  and  $r_2$  are collinear,
- (xix)  $p_3, q_1$  and  $r_2$  are collinear,
- (xx)  $p_2, q_3$  and  $r_1$  are collinear,
- (xxi)  $p_3, q_2$  and  $r_1$  are collinear.

Then  $r_1, r_2$  and  $r_3$  are collinear.

The following four propositions are true:

- (10) Let  $C_1$  be a 3 dimensional projective space defined in terms of collinearity. Then  $C_1$  is a Pappian 3 dimensional projective space defined in terms of collinearity if and only if for all elements  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  of the points of  $C_1$  such that  $o \neq p_2$  and  $o \neq p_3$  and  $p_2 \neq p_3$  and  $p_1 \neq p_2$  and  $p_1 \neq p_3$  and  $o \neq q_2$  and  $o \neq q_3$  and  $q_2 \neq q_3$  and  $q_1 \neq q_2$  and  $q_1 \neq q_3$  and  $o, p_1$  and  $q_1$  are not collinear and  $o, p_1$  and  $p_2$  are collinear and  $o, p_1$  and  $p_3$  are collinear and  $o, q_1$  and  $q_2$  are collinear and  $o, q_1$  and  $q_3$  are collinear and  $p_1, q_2$  and  $r_3$  are collinear and  $q_1, p_2$  and  $r_3$  are collinear and  $p_1, q_3$  and  $r_2$  are collinear and  $p_3, q_1$  and  $r_2$  are collinear and  $p_2, q_3$  and  $r_1$  are collinear and  $p_3, q_2$  and  $r_1$  are collinear holds  $r_1, r_2$  and  $r_3$  are collinear.
- (11) Suppose that
- (i) there exist  $u, v, w, u_1$  such that for all  $a, b, c, d$  such that  $((a \cdot u + b \cdot v) + c \cdot w) + d \cdot u_1 = 0_V$  holds  $a = 0$  and  $b = 0$  and  $c = 0$  and  $d = 0$  and for every  $y$  there exist  $a, b, c, d$  such that  $y = ((a \cdot u + b \cdot v) + c \cdot w) + d \cdot u_1$ . Then the projective space over  $V$  is a Pappian 3 dimensional projective space defined in terms of collinearity.
- (12) Let  $C_1$  be a collinearity structure. Then  $C_1$  is a Pappian 3 dimensional projective space defined in terms of collinearity if and only if the following conditions are satisfied:
- (i) for all elements  $p, q, r$  of the points of  $C_1$  holds  $p, q$  and  $p$  are collinear and  $p, p$  and  $q$  are collinear and  $p, q$  and  $q$  are collinear,
  - (ii) for all elements  $p, q, r, r_1, r_2$  of the points of  $C_1$  such that  $p \neq q$  and  $p, q$  and  $r$  are collinear and  $p, q$  and  $r_1$  are collinear and  $p, q$  and  $r_2$  are collinear holds  $r, r_1$  and  $r_2$  are collinear,
  - (iii) for every elements  $p, q$  of the points of  $C_1$  there exists an element  $r$  of the points of  $C_1$  such that  $p \neq r$  and  $q \neq r$  and  $p, q$  and  $r$  are collinear,
  - (iv) for all elements  $p, p_1, p_2, r, r_1$  of the points of  $C_1$  such that  $p, p_1$  and  $r$  are collinear and  $p_1, p_2$  and  $r_1$  are collinear there exists an element  $r_2$  of the points of  $C_1$  such that  $p, p_2$  and  $r_2$  are collinear and  $r, r_1$  and  $r_2$  are collinear,
  - (v) there exist elements  $p, p_1, q, q_1$  of the points of  $C_1$  such that for no element  $r$  of the points of  $C_1$  holds  $p, p_1$  and  $r$  are collinear and  $q, q_1$  and  $r$  are collinear,
  - (vi) for every elements  $p, p_1, q, q_1, r_2$  of the points of  $C_1$  there exist elements  $r, r_1$  of the points of  $C_1$  such that  $p, q$  and  $r$  are collinear and  $p_1, q_1$  and  $r_1$  are collinear and  $r_2, r$  and  $r_1$  are collinear,
  - (vii) for all elements  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  of the points of  $C_1$  such that  $o \neq p_2$  and  $o \neq p_3$  and  $p_2 \neq p_3$  and  $p_1 \neq p_2$  and  $p_1 \neq p_3$  and  $o \neq q_2$  and  $o \neq q_3$  and  $q_2 \neq q_3$  and  $q_1 \neq q_2$  and  $q_1 \neq q_3$  and  $o, p_1$  and  $q_1$  are not collinear and  $o, p_1$  and  $p_2$  are collinear and  $o, p_1$  and  $p_3$  are collinear and  $o, q_1$  and  $q_2$  are collinear and  $o, q_1$  and  $q_3$  are collinear and  $p_1, q_2$  and  $r_3$  are collinear and  $q_1, p_2$  and  $r_3$  are collinear and  $p_1, q_3$  and  $r_2$  are collinear and  $p_3, q_1$  and  $r_2$  are collinear and  $p_2, q_3$  and  $r_1$  are collinear

and  $p_3, q_2$  and  $r_1$  are collinear holds  $r_1, r_2$  and  $r_3$  are collinear.

- (13) For every  $C_1$  being a collinearity structure holds  $C_1$  is a Pappian 3 dimensional projective space defined in terms of collinearity if and only if  $C_1$  is a Pappian at least 3 dimensional projective space defined in terms of collinearity and for every elements  $p, p_1, q, q_1, r_2$  of the points of  $C_1$  there exist elements  $r, r_1$  of the points of  $C_1$  such that  $p, q$  and  $r$  are collinear and  $p_1, q_1$  and  $r_1$  are collinear and  $r_2, r$  and  $r_1$  are collinear.

A Fanoian 3 dimensional projective space defined in terms of collinearity is called a Fano-Pappian 3 dimensional projective space defined in terms of collinearity if:

- (Def.4) Let  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  be elements of the points of it .

Suppose that

- (i)  $o \neq p_2,$
- (ii)  $o \neq p_3,$
- (iii)  $p_2 \neq p_3,$
- (iv)  $p_1 \neq p_2,$
- (v)  $p_1 \neq p_3,$
- (vi)  $o \neq q_2,$
- (vii)  $o \neq q_3,$
- (viii)  $q_2 \neq q_3,$
- (ix)  $q_1 \neq q_2,$
- (x)  $q_1 \neq q_3,$
- (xi)  $o, p_1$  and  $q_1$  are not collinear,
- (xii)  $o, p_1$  and  $p_2$  are collinear,
- (xiii)  $o, p_1$  and  $p_3$  are collinear,
- (xiv)  $o, q_1$  and  $q_2$  are collinear,
- (xv)  $o, q_1$  and  $q_3$  are collinear,
- (xvi)  $p_1, q_2$  and  $r_3$  are collinear,
- (xvii)  $q_1, p_2$  and  $r_3$  are collinear,
- (xviii)  $p_1, q_3$  and  $r_2$  are collinear,
- (xix)  $p_3, q_1$  and  $r_2$  are collinear,
- (xx)  $p_2, q_3$  and  $r_1$  are collinear,
- (xxi)  $p_3, q_2$  and  $r_1$  are collinear.

Then  $r_1, r_2$  and  $r_3$  are collinear.

The following propositions are true:

- (14) Let  $C_1$  be a Fanoian 3 dimensional projective space defined in terms of collinearity. Then  $C_1$  is a Fano-Pappian 3 dimensional projective space defined in terms of collinearity if and only if for all elements  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  of the points of  $C_1$  such that  $o \neq p_2$  and  $o \neq p_3$  and  $p_2 \neq p_3$  and  $p_1 \neq p_2$  and  $p_1 \neq p_3$  and  $o \neq q_2$  and  $o \neq q_3$  and  $q_2 \neq q_3$  and  $q_1 \neq q_2$  and  $q_1 \neq q_3$  and  $o, p_1$  and  $q_1$  are not collinear and  $o, p_1$  and  $p_2$  are collinear and  $o, p_1$  and  $p_3$  are collinear and  $o, q_1$  and  $q_2$  are collinear and  $o, q_1$  and  $q_3$  are collinear and  $p_1, q_2$  and  $r_3$  are collinear and  $q_1, p_2$  and  $r_3$  are collinear and  $p_1, q_3$  and  $r_2$  are collinear and  $p_3, q_1$  and  $r_2$  are

collinear and  $p_2, q_3$  and  $r_1$  are collinear and  $p_3, q_2$  and  $r_1$  are collinear holds  $r_1, r_2$  and  $r_3$  are collinear.

- (15) Suppose that
- (i) there exist  $u, v, w, u_1$  such that for all  $a, b, c, d$  such that  $((a \cdot u + b \cdot v) + c \cdot w) + d \cdot u_1 = 0_V$  holds  $a = 0$  and  $b = 0$  and  $c = 0$  and  $d = 0$  and for every  $y$  there exist  $a, b, c, d$  such that  $y = ((a \cdot u + b \cdot v) + c \cdot w) + d \cdot u_1$ . Then the projective space over  $V$  is a Fano-Pappian 3 dimensional projective space defined in terms of collinearity.
- (16) Let  $C_1$  be a collinearity structure. Then  $C_1$  is a Fano-Pappian 3 dimensional projective space defined in terms of collinearity if and only if the following conditions are satisfied:
- (i) for all elements  $p, q, r$  of the points of  $C_1$  holds  $p, q$  and  $p$  are collinear and  $p, p$  and  $q$  are collinear and  $p, q$  and  $q$  are collinear,
  - (ii) for all elements  $p, q, r, r_1, r_2$  of the points of  $C_1$  such that  $p \neq q$  and  $p, q$  and  $r$  are collinear and  $p, q$  and  $r_1$  are collinear and  $p, q$  and  $r_2$  are collinear holds  $r, r_1$  and  $r_2$  are collinear,
  - (iii) for every elements  $p, q$  of the points of  $C_1$  there exists an element  $r$  of the points of  $C_1$  such that  $p \neq r$  and  $q \neq r$  and  $p, q$  and  $r$  are collinear,
  - (iv) for all elements  $p, p_1, p_2, r, r_1$  of the points of  $C_1$  such that  $p, p_1$  and  $r$  are collinear and  $p_1, p_2$  and  $r_1$  are collinear there exists an element  $r_2$  of the points of  $C_1$  such that  $p, p_2$  and  $r_2$  are collinear and  $r, r_1$  and  $r_2$  are collinear,
  - (v) for all elements  $p_1, r_2, q, r_1, q_1, p, r$  of the points of  $C_1$  such that  $p_1, r_2$  and  $q$  are collinear and  $r_1, q_1$  and  $q$  are collinear and  $p_1, r_1$  and  $p$  are collinear and  $r_2, q_1$  and  $p$  are collinear and  $p_1, q_1$  and  $r$  are collinear and  $r_2, r_1$  and  $r$  are collinear and  $p, q$  and  $r$  are collinear holds  $p_1, r_2$  and  $q_1$  are collinear or  $p_1, r_2$  and  $r_1$  are collinear or  $p_1, r_1$  and  $q_1$  are collinear or  $r_2, r_1$  and  $q_1$  are collinear,
  - (vi) there exist elements  $p, p_1, q, q_1$  of the points of  $C_1$  such that for no element  $r$  of the points of  $C_1$  holds  $p, p_1$  and  $r$  are collinear and  $q, q_1$  and  $r$  are collinear,
  - (vii) for every elements  $p, p_1, q, q_1, r_2$  of the points of  $C_1$  there exist elements  $r, r_1$  of the points of  $C_1$  such that  $p, q$  and  $r$  are collinear and  $p_1, q_1$  and  $r_1$  are collinear and  $r_2, r$  and  $r_1$  are collinear,
  - (viii) for all elements  $o, p_1, p_2, p_3, q_1, q_2, q_3, r_1, r_2, r_3$  of the points of  $C_1$  such that  $o \neq p_2$  and  $o \neq p_3$  and  $p_2 \neq p_3$  and  $p_1 \neq p_2$  and  $p_1 \neq p_3$  and  $o \neq q_2$  and  $o \neq q_3$  and  $q_2 \neq q_3$  and  $q_1 \neq q_2$  and  $q_1 \neq q_3$  and  $o, p_1$  and  $q_1$  are not collinear and  $o, p_1$  and  $p_2$  are collinear and  $o, p_1$  and  $p_3$  are collinear and  $o, q_1$  and  $q_2$  are collinear and  $o, q_1$  and  $q_3$  are collinear and  $p_1, q_2$  and  $r_3$  are collinear and  $q_1, p_2$  and  $r_3$  are collinear and  $p_1, q_3$  and  $r_2$  are collinear and  $p_3, q_1$  and  $r_2$  are collinear and  $p_2, q_3$  and  $r_1$  are collinear and  $p_3, q_2$  and  $r_1$  are collinear holds  $r_1, r_2$  and  $r_3$  are collinear.
- (17) Let  $C_1$  be a collinearity structure. Then  $C_1$  is a Fano-Pappian 3 dimensional projective space defined in terms of collinearity if and only if the

following conditions are satisfied:

- (i)  $C_1$  is a Pappian 3 dimensional projective space defined in terms of collinearity,
  - (ii) for all elements  $p_1, r_2, q, r_1, q_1, p, r$  of the points of  $C_1$  such that  $p_1, r_2$  and  $q$  are collinear and  $r_1, q_1$  and  $q$  are collinear and  $p_1, r_1$  and  $p$  are collinear and  $r_2, q_1$  and  $p$  are collinear and  $p_1, q_1$  and  $r$  are collinear and  $r_2, r_1$  and  $r$  are collinear and  $p, q$  and  $r$  are collinear holds  $p_1, r_2$  and  $q_1$  are collinear or  $p_1, r_2$  and  $r_1$  are collinear or  $p_1, r_1$  and  $q_1$  are collinear or  $r_2, r_1$  and  $q_1$  are collinear.
- (18) For every  $C_1$  being a collinearity structure holds  $C_1$  is a Fano-Pappian 3 dimensional projective space defined in terms of collinearity if and only if  $C_1$  is a Fano-Pappian at least 3 dimensional projective space defined in terms of collinearity and for every elements  $p, p_1, q, q_1, r_2$  of the points of  $C_1$  there exist elements  $r, r_1$  of the points of  $C_1$  such that  $p, q$  and  $r$  are collinear and  $p_1, q_1$  and  $r_1$  are collinear and  $r_2, r$  and  $r_1$  are collinear.

## References

- [1] Czesław Byliński. Functions and their basic properties. *Formalized Mathematics*, 1(1):55–65, 1990.
- [2] Wojciech Leończuk and Krzysztof Prażmowski. A construction of analytical projective space. *Formalized Mathematics*, 1(4):761–766, 1990.
- [3] Wojciech Leończuk and Krzysztof Prażmowski. Projective spaces - part II. *Formalized Mathematics*, 1(5):901–907, 1990.
- [4] Wojciech Leończuk and Krzysztof Prażmowski. Projective spaces - part V. *Formalized Mathematics*, 1(5):929–938, 1990.
- [5] Wojciech Skaba. The collinearity structure. *Formalized Mathematics*, 1(4):657–659, 1990.

Received August 10, 1990

---